



ADDITION, RENOVATIONS AND RECONSTRUCTIONS FOR
**SPELLMAN MUSEUM
OF FORNEY HISTORY**
200 S. BOIS D'ARC STREET - FORNEY, TEXAS 75126

DETAIL
PLANS &
SCHEDULES

AUGUST 21, 2012

A1.4

ROOM FINISH SCHEDULE

ROOM/ROOM NAME	FLOOR	BASE	WALLS	CEILING	C.C.	REMARKS
101 ENTRY AREA	WOOD	BRICK & PAINT	PAINTED BEAD BO 16'-0"	—	—	—
102 EXHIBIT AREA	WOOD	BRICK & PAINT	PAINTED BEAD BO 16'-0"	—	—	—
103 MULTI-PIRROSE ROOM	WD VINYL PLANK WOOD	PAINT	SUSP. 2X2 P. TIN 14'-6"	—	—	—
104 OFFICE	WD VINYL PLANK WOOD	PAINT	SUSP. 2X2 P. TIN 14'-6"	—	—	—
105 EXHIBIT	WD VINYL PLANK WOOD	PAINT	SUSP. 2X2 P. TIN 14'-6"	—	—	—
106 WORK ROOM	WD VINYL PLANK WOOD	PAINT	SUSP. 2X2 P. TIN 14'-6"	—	—	—
107 CORRIDOR	WD VINYL PLANK WOOD	PAINT	SUSP. 2X2 P. TIN 14'-6"	—	—	—
108 WOMEN'S RESTROOM	HEX. CER. TILE	CER. TILE	HEX. CER. TILE	—	—	—
109 MEN'S RESTROOM	HEX. CER. TILE	CER. TILE	HEX. CER. TILE	—	—	—
110 JANITOR CLOSET	WD VINYL PLANK WOOD	PAINT	SUSP. 2X2 P. TIN 14'-6"	—	—	—
111 HVAC CLOSET	EXISTING	EXISTING	EXISTING	—	—	—
112 ELECTRIC	4" VINYL	PAINT	PAINT	—	—	—
113 STORAGE ROOM	SEALED CONC.	UNFIN. CMU	UNFIN. CMU	—	—	—
114 SPRINKLER RISER ROOM	SEALED CONC.	UNFIN. CMU	UNFIN. CMU	—	—	—
115 HVAC CLOSET	PAINTED PLTWO	NONE	UNFIN. GYP. BD.	NONE	—	—
116 HVAC CLOSET	PAINTED PLTWO	NONE	UNFIN. GYP. BD.	NONE	—	—
117 HVAC CLOSET	PAINTED PLTWO	NONE	UNFIN. GYP. BD.	NONE	—	—

DOOR SCHEDULE

NO.	FROM/TO	LEAVES	OPNG W X H	MATERIAL DR/FR	u F RATING (MIN)	FIRE RATING (MIN)	HARDWARE REFER *LEGEND BELOW
1	EXTERIOR FROM 101 ENTRY	PAIR	72x±91" WD & GL/WD 1	—	—	—	H4-W1-S1-T1-C1-L1-FB-EI
2	EXTERIOR FROM 103 EXHIBIT	PAIR	72x±91" WD & GL/WD 2	—	—	—	H4-W1-S1-T1-C1-L1-FB-AI
3	EXTERIOR FROM 102 EXHIBIT AREA	SINGLE	36x±91" WD & GL/WD 1	—	—	—	H4-W1-S1-T1-C1-L1-FB-AI
4	102 EXHIBIT AREA FROM EXTERIOR	PAIR	96x±84" METAL/MET 3	—	—	—	H4-W1-T1-C1-L1-FB-CL
5	EXT. FROM 114 SPRINKLER RISER RM	SINGLE	36x±84" METAL/MET 3	—	—	—	H3-W1-T1-L3-CL-KNOX BOX
6	102 EXHIB. AREA FROM 115 HVAC CL	SINGLE	36x±84" SC WOOD/WD 3	—	—	—	H3-L3-SS
7	102 EXHIBIT AREA FROM STORAGE RM	PAIR	36x±84" SC WOOD/WD 3	—	—	—	H3-S1-C1-L3-T1
8	102 EXHIB. AREA FROM 116 HVAC CL	SINGLE	36x±84" SC WOOD/WD 3	—	—	—	H3-L3-SS
9	103 CORRIDOR TO 102 EXHIBIT AREA	SINGLE	36x±84" WOOD/MET 4	—	—	—	H3-S1-C1-L3
10	103 MULTI-PURP RM TO 102 EXHIBIT	PAIR	72x±84" WOOD/MET 4	—	—	—	H3-S1-C1-L3
11	102 EXHIB. AREA FROM 116 HVAC CL	SINGLE	36x±84" SC WOOD/WD 3	—	—	—	H3-L3-SS-L3
12	103 MULTI-PURP RM TO 106 WK RM	SINGLE	36x±84" WOOD/WD 4	—	—	—	H3-S1-C1-L3
13	103 MULTI-PURP RM TO 106 WK RM	SINGLE	36x±84" WOOD/WD 4	—	—	—	H3-S1-C1-L3
14	107 CORR. TO 106 MEN'S RESTRM	SINGLE	36x±84" WOOD/WD 4	—	—	—	H3-S1-C1-L3
15	107 CORR. TO 106 MEN'S RESTRM	SINGLE	36x±84" WOOD/WD 4	—	—	—	H3-S1-C1-L3
16	103 MULTI-PURP RM TO 110 JAN CL	SINGLE	36x±84" WOOD/MET 4	—	—	—	H3-S1-C1-L3
17	110 JAN CL FROM 112 ELECTRIC	SINGLE	36x±84" WOOD/MET 4	—	—	—	H3-S1-C1-L3
18	110 JAN CL FROM 111 HVAC CL	SINGLE	36x±84" WOOD/WD 4	—	—	—	H3-L3-SS
19	101 ENTRY FROM 102 EXHIBIT AREA	SINGLE	36x±45" 75" WOOD/WD 5	—	—	—	H2-L3-EI

* DOOR HARDWARE LEGEND

H2 - 2 BUTT HINGES PER LEAF
H3 - 3 BUTT HINGES PER LEAF
H4 - 4 BUTT HINGES PER LEAF
W1 - WEATHERSTRIPPING
SS - SOUND SEALS
SI - STOP (FLOOR)
T1 - ALUM. THRESHOLD
C1 - CLOSER W/ HOLD OPEN
L1 - LOCKSET (Panic Bar)
L2 - LOCKSET (LEVER)
L3 - LOCKSET (OP. INSIDE ONLY)
L4 - LOCKSET (OP. INSIDE ONLY)
EI - ELECTRIC RELEASE
PI - PASSAGE SET (LEVER)
PP - PUSH / PULL (NO LOCK)
FB - FLUSH BOLTS
AI - ALARM (IF DOOR OPENED)
CL - CYLINDER DEADBOLT (THUMB)

DOOR TYPES

TYPE 1 WOOD AND GLASS	TYPE 2 WOOD AND GLASS	TYPE 3 FLUSH WOOD	TYPE 4 6 PANEL	TYPE 5 4 PANEL GATE
NOTE: ALL DOOR GLAZING TO BE TEMPERED				

EQUIPMENT AND ITEMS


NO.	DESCRIPTION	MAKE AND MODEL	MOUNTING HEIGHT A.F.F.	REMARKS
1	HC TASK TYPE WC	—	TOP OF SEAT - 17" TO 19"	—
2	WC	—	—	—
3	WC	—	—	—
4	PED-STAL LAVATORY	—	—	—
5	DUAL HT. DRINKING FOUNTAIN	—	HC SPOUT AT 36" MAX. BOTTOM 1'-0" TO 5'-10"	—
6	P. LAM COVERED TLT PARTN	—	—	—
7	24" X 24" FLOOR SINK	—	4'-0" TO CENTER	—
8	HOT & COLD WTR. HOSE BIBS	—	—	—
9	HOT WATER HEATER	—	—	—
10	3/4" DIA. CLEAR FIB. SPACE	—	—	—
11	DOUBLE SS SINK & FAUCETS	—	TOP AT 2'-10"	—
12	DISPOSAL	—	—	—
13	DISHWASHER	—	—	—
14	MICROWAVE OVEN	—	—	—
15	REFRIG. W/ ICE MAKER	—	—	—
16	KITCHEN CABINETS	—	CORIAN TOP & SPLASH AT 34" * NOTE 1	—
17	MARBLE THRESHOLD	—	—	—
18	KNOX BOX	—	NEAR DOOR 5 WHERE INSTRUCTED BY FIRE DEPT	—

*NOTE 1 - FURN. BY OWNER, INSTALLED BY CONTRACTOR


TOILET ACCESSORIES

NO.	DESCRIPTION	MAKE AND MODEL	MOUNTING HEIGHT A.F.F.	REMARKS
A	PAPER TOWEL DISP	BOBRICK B-292	4'-0" TO BOTTOM	—
B	SOAP BAR	BOBRICK B-691	1'-7" TO CENTER	—
C	CLOTHES HOOK	BOBRICK B-691	2'-10" TO CENTER	—
D	8"x18" SS SHELF	BOBRICK B-216	4'-0" TO TOP	—
E	24" X 36" FRAMED MIRROR	BOBRICK B-298 X 18	2'-8" TO TOP	—
F	LIQUID SOAP DISPENSER	BOBRICK B-165	3'-2" TO BOTTOM	—
G	SN. NAPKIN DISPOSAL	BOBRICK B-211	3'-8" TO BOTTOM	—
H	MOP AND BROOM HOLDER	BOBRICK B-270	ALIGH BOT. W/ BOT. OF PARTN	—
J		BOBRICK B-223 X 24	6'-4" TO CENTER	—

02 106 WORK ROOM CABINETS PLAN




03 106 WORK ROOM CABINETS ELEV.



04 WINDOW TYPES

WALL TYPES BY SYMBOL: A

- WALL TYPE NOTES:
- REFER TO DETAILS, SECTIONS, & SCHEDULES FOR FINISHES & ADDITIONAL INFORMATION.
 - REFER TO SPECIFICATIONS FOR MATERIAL GRADES, TYPES, & OTHER INFORMATION.




GENERAL NOTES: FLOOR PLAN


- DIMENSIONS ARE MEASURED FROM THE FOLLOWING:
 - A. CENTER LINE OF CONCRETE COLUMN OR CORB LINE BETWEEN COLUMNS
 - B. CENTER LINE OF DOOR
 - C. STUD WALLS ARE DIMENSIONED TO THE NOMINAL FACE OF STUD
- ALL DOORS ARE CAPABLE OF OPENING 180° UNLESS OTHERWISE NOTED
- DIMENSIONS SHALL HAVE PRECEDENCE OVER SCALE
- FIELD VERIFY EXIST CONDITIONS, NOTIFY THE ARCHITECT OF ANY DISCREPANCIES PRIOR TO COMMENCEMENT OF THE WORK

SIGNAGE PROVIDE THE FOLLOWING SIGNS AT THE DESIGNATED LOCATIONS

- ONE SIGN "WOMEN" W/ HANDICAP LOGO AND BRAILLE PER T/AS AT DOOR 14
- ONE SIGN "MEN" W/ HANDICAP LOGO AND BRAILLE PER T/AS AT DOOR 15
- TWO SIGNS "RESTROOMS" W/ HANDICAP LOGO AND BRAILLE PER T/AS AT DOOR 9 & AT OPENING TO CORRIDOR 107 IN MULTI-PURPOSE ROOM 103
- FOUR SIGNS "EMERGENCY EXIT ONLY - ALARM WILL SOUND IF OPENED" AT DOORS 2,3,9 AND 10
- ONE SIGN "OFFICE" AT DOOR 12
- ONE SIGN "WORK ROOM" AT DOOR 13
- ONE SIGN "JANITOR" AT DOOR 16
- ONE SIGN "STORAGE" AT DOOR 17
- ONE SIGN "OCCUPANT LOAD FOR THIS ROOM TO BE 49 PEOPLE MAXIMUM" AT DOOR 17



01 RESTROOM PLAN



05 FLOOR SINK

06 DR. SPACE

07 HC TLT.

08 HC SIGN