


ADDITION, RENOVATIONS AND RECONSTRUCTIONS FOR

SPELLMAN MUSEUM OF FORNEY HISTORY

200 S. BOIS D'ARC STREET - FORNEY, TEXAS 75126



REFERENCED NOTES:

- 1 REPAIR AND REPAINT EXISTING ORIGINAL CANOPY.
- 2 PATCH AND REPAIR EXISTING WOOD BEADBOARD CEILING AND PAINT. RE-USE EXISTING WOOD IF POSSIBLE TO INFILL MISSING PORTIONS OR USE NEW BEADBOARD WOOD TO MATCH EXISTING.
- 3 LINE OF NEW METAL CANOPY TO MATCH ORIGINAL CANOPY AT REAR MAIN STREET ENTRANCE. PAINT ANGLE FRAME AND CORRUGATED ROOFING TOP AND BOTTOM.
- 4 NEW 2x2 SUSPENDED PRESSED TIN CEILING AT 12'-0" ABOVE FINISHED FLOOR.
- 5 NEW PAINTED TUBULAR METAL AIR-CONDITIONING DUCT. REF. MEP DWG.

NOTES:

- 6 PAINTED BEADBOARD WOOD CEILING AT SAME HEIGHT AS HARDWARE BLDG CEILING HEIGHT.
- 7 SUSPENDED HVAC 4 WAY CONCENTRIC GRILLE. REF MEP DWG.
- 8 STEEL BEAMS, COLUMN AND METAL DECK SPRAYED WITH FIREPROOFING TO PROVIDE 2 HOUR ROOF RATING (UL NO. P8119).
- 9 FILL OPENING BETWEEN STEEL BEAM AND CMU WALL WITH FRESAFING.
- 10 NEW 2x2 SUSPENDED ACOUSTIC TILE CEILING AT 9'-0" ABOVE FINISHED FLOOR.

A. REFER TO ELECTRICAL DRAWINGS FOR LIGHT FIXTURE SPECIFICATIONS

01 REFLECTED CEILING PLAN

SCALE: 1/4"=1'-0"

REFLECTED
CEILING
PLAN

AUGUST 21, 2012

A1.2