


ADDITION, RENOVATIONS AND RECONSTRUCTIONS FOR

# SPELLMAN MUSEUM OF FORNEY HISTORY

200 S. BOIS D'ARC STREET - FORNEY, TEXAS 75126



## REFERENCED NOTES:

- CAREFULLY REMOVE PLASTER AND RESTORE BRICK AS SPECIFIED OR REPLACE EXTERIOR W/TYPE OF BRICK WITH NEW ANTIQUE BRICK OF THE SAME SIZE AND COLOR AND IN THE SAME PATTERN AS THE ORIGINAL BRICK.
- PATCH AND REPAIR EXISTING PLASTER AND PAINT
- PATCH, FLOAT EXISTING CONCRETE SLAB AND INFILL MISSING PORTIONS OF SLAB WITH NEW CONCRETE ON COMPACTED SELECT FILL TO PREPARE FOR NEW FINISH, PATCH, REPAIR AND RE-POINT EXISTING EXPOSED BRICK.
- PATCH AND REPAIR EXISTING PLASTER AND PAINT.
- REMOVE EXIST. OVERHEAD DOOR AND INFILL OPNG. WITH MASONRY TO MATCH EXIST. FOR NEW DOOR OPNG.
- REPLACE EXISTING DOOR AND SIDELIGHT WITH NEW EXIT DOOR AND SIDELIGHT PANELS TO MATCH EXISTING ADJACENT WINDOWS AND PANELS.
- REPAIR AND REPAINT EXISTING ORIGINAL CANOPY.
- LINE OF NEW CANOPY ABOVE TO MATCH EXIST. CANOPY.
- REPLACE EXIST. CANOPY WITH NEW CANOPY TO MATCH EXISTING CANOPY AT THE REAR MAIN STREET ENTRANCE.
- REPLACE EXIST. STOREFRONT WITH NEW INSET ENTRY STOREFRONT TO MATCH ORIGINAL ENTRANCE. ANGLED INSETS SHOULD BE BUILT AT ORIGINAL LOCATION AT THE GHOSTING ON THE EXISTING BEADBOARD CEILING INSIDE. NEW INSET ENTRY STOREFRONT TO MATCH ORIGINAL ENTRANCE. ANGLE ON INSET STOREFRONT SHOULD MATCH NEW ENTRANCE AT THE OLD TARDWARE BLDG.
- INSTALL NEW CONCRETE TOPPING OVER EXIST. CONCRETE SLAB TO MATCH FLOOR ELEV. IN THE HDWR. BLDG. AT THE NEW OPNGS. TO THE HDWR. BLDG. REFER TO A1.0 REF. STRUCT. FOR LINTEL AND DETAILS. INFILL FLOOR W/ CONCRETE.
- SAW CUT NEW OPNG. IN EXIST. BRICK WALL FOR NEW WINDOW AND OLD POST OFFICE WICKET WINDOW. REF. STRUCT. FOR LINTEL AND DETAILS.
- REMOVE EXIST. CLOSURE AND INFILL WINDOW OPNG. WITH MASONRY AND FINISH TO MATCH EXISTING ADJACENT.
- REMOVE EXIST. DR. AND INFILL OPNG. WITH MSRY. AND FINISH TO MATCH EXISTING ADJACENT WALL.
- NEW FIRE EXTINGUISHER AND CABINET. REF SPECS.
- EXISTING HVAC CLOSET TO REMAIN.
- REPAIR BRICK OPNG. FOR NEW WOOD SINGLE HUNG WIN. AND TRIM TO MATCH ORIG. WINDOWS AND TRIM.
- NEW WOOD AND GLASS STOREFRONT TO MATCH ORIGINAL WOOD AND GLASS STOREFRONT.
- CLOSE ANY OPENINGS PROVIDED IN MASONRY WALL FOR CONDUITS, PIPING, ETC. WITH BRICK TO MATCH EXIST. # GROUT. PROVIDE METAL PIPE SLEEVES (2" LARGER THAN PIPE OR CONDUITS) THRU WALL AND FINISH WITH FILLING SLEEVE WITH FIRE SAFING AROUND PIPE OR CONDUITS. EXPOSED EXISTING BRICK WALL. PATCH AND RE-POINT.
- NEW LOW-WALL. REF DETAIL 6/A3.2
- NEW MASONRY WALL W/ 8" CMU AND COMPONENTS AS SHOWN IN UL DESIGN NO. U501 FOR 4 HOUR RATING.

FLOOR PLAN

A1.1

AUGUST 21, 2012